Author Index

Abbott, P.V. *see* Kim, S.T.
Abbott, P.V. *see* Kim, S.T.
Abbott, P.V. *see* Laux, M.
Ahmed, M.F., Elseed, A.I. & Ibrahim, Y.E. Root canal treatment in general practice in Sudan, 316
Al Shalabi, R.M., Omer, O.E., Glennon, J., Jennings, M. & Claffey, N.M. Root canal anatomy of maxillary first and second permanent molars, 405
Anastasiadis, P.L. *see* Khabbaz, M.G.
Aryanpour, S., Van Nieuwenhuysen, J.-P. & D'Hoore, W. Endodontic retreatment decisions: no consensus, 208

Bailey, G. *see* Mc Cullagh, J.J.P.
Bakland, L.K. *see* Tang, H.-M.
Bårdsen, A. *see* Fristad, I.
Barrett, A.W. *see* Fernando, K.
Bate, A.L., Ma, J.K-C. & Pitt Ford, T.R. Detection of bacterial virulence genes associated with infective endocarditis in infected root canals, 194
Benson, B.W. *see* Laghios, C.D.
Betti, L.V. *see* Bramante, C.M.
Biagioni, P. *see* Mc Cullagh, J.J.P.
Biagioni, P.A. *see* Kells, B.E.
Biagioni, P.A. *see* Kells, B.E.
Bou Dagher, F.E. *see* Yared, G.M.
Boursin, E.M. *see* Whitworth, J.M.
Bramante, C.M. & Betti, L.V. Efficacy of Quantec rotary instruments for gutta-percha removal, 463
Bryant, S.T. *see* Gilhooly, R.M.P.
Bryant, S.T. *see* Griffiths, I.T.
Buchanan, L.S. The standardized-taper root canal preparation – Part 1. Concepts for variably tapered shaping instruments, 516

Cadenaro, M. *see* Di Lenarda, R.
Chatzikallinikidis, C. *see* Lyroudia, K.
Claffey, N.M. *see* Al Shalabi, R.M.
Cruz, E.V., Jimena, M.E.M., Puzon, E.G. & Iwaku, M. Endodontic teaching in Philippine dental schools, 427
Curtis, R.V. *see* Rhodes, J.S.
Cutler, C.W. *see* Laghios, C.D.
Cutler, C.W. *see* Laghios, C.D.

D'Hoore, W. *see* Aryanpour, S.
De Almeida, W.A., Leonardo, M.R., Tanomaru Filho, M. & Silva, L.A.B. Evaluation of apical sealing of three endodontic sealers, 25
De Boever, J.G. *see* De Moor, R.J.G.
De Bruyne, M.A.A., De Moor, R.J.G. & Raes, F.M. Necrosis of the gingiva caused by calcium hydroxide: a case report, 67
De Moor, R.J.G. *see* De Bruyne, M.A.A.
De Moor, R.J.G., Hommez, G.M.G., De Boever, J.G., Delmé, K.I.M. & Martens, G.E.I. Periapical health related to the quality of root canal treatment in a Belgian population, 113
Delmé, K.I.M. *see* De Moor, R.J.G.
Di Lenarda, R., Cadenaro, M. & Sbaizero, O. Effectiveness of 1 mol L^{-1} citric acid and 15% EDTA irrigation on smear layer removal, 46
Dummer, P.M.H. Editorial, 481
Dummer, P.M.H. *see* Gilhooly, R.M.P.
Dummer, P.M.H. *see* Griffiths, I.T.
Dummer, P.M.H. *see* Solovyeva, A.M.
Dummer, P.M.H. *see* Thompson, S.A.
Dummer, P.M.H. *see* Thompson, S.A.
Dumsha, T.C. *see* von Fraunhofer, J.A.

Elseed, A.I. *see* Ahmed, M.F.

Fabri, F.P. *see* Fava, L.R.G.
Fagundes, D.K. *see* von Fraunhofer, J.A.
Fan, B. *see* Wu, M.-K.
Fava, L.R.G., Weinfeld, I., Fabri, F.P. & Pais, C.R. Four second molars with single roots and single canals in the same patient, 138
Fernando, K., Gulabivala, K. & Barrett, A.W. The preparation of periapical lesions for flow cytometry, 103
Ferrari, M. & Mannocci, F. A 'one-bottle' adhesive system for bonding a fibre post into a root canal: an SEM evaluation of the post–resin interface, 397
Ferreira, M.O.F. *see* Zuolo, M.L.
von Fraunhofer, J.A., Fagundes, D.K., McDonald, N.J. & Dumsha, T.C. The effect of root canal preparation on microleakage within endodontically treated teeth: an *in vitro* study, 355
Fristad, I., Hagen, S.O., Bårdsen, A. & Molven, O. Lateral breakdown of nonendodontic origin adjacent to maxillary left incisors, 471

Gilhooly, R.M.P., Hayes, S.J., Bryant, S.T. & Dummer, P.M.H. Comparison of cold lateral condensation and a warm multiphase gutta-percha technique for obturating curved root canals, 415
Glennon, J. *see* Al Shalabi, R.M.
Göhring, T.N. *see* Peters, O.
Gomez, R.S. *see* Moreira, P.R.
Goya, C., Yamazaki, R., Tomita, Y., Kimura, Y. & Matsumoto, K. Effects of pulsed Nd:YAG laser irradiation on smear layer at the apical stop and apical leakage after obturation, 266
Griffiths, I.T., Bryant, S.T. & Dummer, P.M.H. Canal shapes produced sequentially during instrumentation with Quantec LX rotary nickel–titanium instruments: a study in simulated canals, 346
Gulabivala, K. *see* Fernando, K.
Gulabivala, K. *see* Jardine, S.J.
Gulabivala, K. *see* Mc Cullagh, J.J.P.
Gulabivala, K. *see* Saunders, M.B.
Gutmann, J.L. *see* Jaunberzins, A.
Gutmann, J.L. *see* Laghios, C.D.
Gutmann, J.L. *see* Laghios, C.D.
Gutmann, J.L. *see* Witherspoon, D.E.
Gutmann, J.L. *see* Zuolo, M.L.

© 2000 Blackwell Science Ltd

Author Index

Abbott, P.V. *see* Kim, S.T.
Abbott, P.V. *see* Kim, S.T.
Abbott, P.V. *see* Laux, M.
Ahmed, M.F., Elseed, A.I. & Ibrahim, Y.E. Root canal treatment in general practice in Sudan, 316
Al Shalabi, R.M., Omer, O.E., Glennon, J., Jennings, M. & Claffey, N.M. Root canal anatomy of maxillary first and second permanent molars, 405
Anastasiadis, P.L. *see* Khabbaz, M.G.
Aryanpour, S., Van Nieuwenhuysen, J.-P. & D'Hoore, W. Endodontic retreatment decisions: no consensus, 208

Bailey, G. *see* Mc Cullagh, J.J.P.
Bakland, L.K. *see* Tang, H.-M.
Bårdsen, A. *see* Fristad, I.
Barrett, A.W. *see* Fernando, K.
Bate, A.L., Ma, J.K-C. & Pitt Ford, T.R. Detection of bacterial virulence genes associated with infective endocarditis in infected root canals, 194
Benson, B.W. *see* Laghios, C.D.
Betti, L.V. *see* Bramante, C.M.
Biagioni, P. *see* Mc Cullagh, J.J.P.
Biagioni, P.A. *see* Kells, B.E.
Biagioni, P.A. *see* Kells, B.E.
Bou Dagher, F.E. *see* Yared, G.M.
Boursin, E.M. *see* Whitworth, J.M.
Bramante, C.M. & Betti, L.V. Efficacy of Quantec rotary instruments for gutta-percha removal, 463
Bryant, S.T. *see* Gilhooly, R.M.P.
Bryant, S.T. *see* Griffiths, I.T.
Buchanan, L.S. The standardized-taper root canal preparation – Part 1. Concepts for variably tapered shaping instruments, 516

Cadenaro, M. *see* Di Lenarda, R.
Chatzikallinikidis, C. *see* Lyroudia, K.
Claffey, N.M. *see* Al Shalabi, R.M.
Cruz, E.V., Jimena, M.E.M., Puzon, E.G. & Iwaku, M. Endodontic teaching in Philippine dental schools, 427
Curtis, R.V. *see* Rhodes, J.S.
Cutler, C.W. *see* Laghios, C.D.
Cutler, C.W. *see* Laghios, C.D.

D'Hoore, W. *see* Aryanpour, S.
De Almeida, W.A., Leonardo, M.R., Tanomaru Filho, M. & Silva, L.A.B. Evaluation of apical sealing of three endodontic sealers, 25
De Boever, J.G. *see* De Moor, R.J.G.
De Bruyne, M.A.A., De Moor, R.J.G. & Raes, F.M. Necrosis of the gingiva caused by calcium hydroxide: a case report, 67
De Moor, R.J.G. *see* De Bruyne, M.A.A.
De Moor, R.J.G., Hommez, G.M.G., De Boever, J.G., Delmé, K.I.M. & Martens, G.E.I. Periapical health related to the quality of root canal treatment in a Belgian population, 113
Delmé, K.I.M. *see* De Moor, R.J.G.
Di Lenarda, R., Cadenaro, M. & Sbaizero, O. Effectiveness of 1 mol L^{-1} citric acid and 15% EDTA irrigation on smear layer removal, 46
Dummer, P.M.H. Editorial, 481
Dummer, P.M.H. *see* Gilhooly, R.M.P.
Dummer, P.M.H. *see* Griffiths, I.T.
Dummer, P.M.H. *see* Solovyeva, A.M.
Dummer, P.M.H. *see* Thompson, S.A.
Dummer, P.M.H. *see* Thompson, S.A.
Dumsha, T.C. *see* von Fraunhofer, J.A.

Elseed, A.I. *see* Ahmed, M.F.

Fabri, F.P. *see* Fava, L.R.G.
Fagundes, D.K. *see* von Fraunhofer, J.A.
Fan, B. *see* Wu, M.-K.
Fava, L.R.G., Weinfeld, I., Fabri, F.P. & Pais, C.R. Four second molars with single roots and single canals in the same patient, 138
Fernando, K., Gulabivala, K. & Barrett, A.W. The preparation of periapical lesions for flow cytometry, 103
Ferrari, M. & Mannocci, F. A 'one-bottle' adhesive system for bonding a fibre post into a root canal: an SEM evaluation of the post–resin interface, 397
Ferreira, M.O.F. *see* Zuolo, M.L.
von Fraunhofer, J.A., Fagundes, D.K., McDonald, N.J. & Dumsha, T.C. The effect of root canal preparation on microleakage within endodontically treated teeth: an *in vitro* study, 355
Fristad, I., Hagen, S.O., Bårdsen, A. & Molven, O. Lateral breakdown of nonendodontic origin adjacent to maxillary left incisors, 471

Gilhooly, R.M.P., Hayes, S.J., Bryant, S.T. & Dummer, P.M.H. Comparison of cold lateral condensation and a warm multiphase gutta-percha technique for obturating curved root canals, 415
Glennon, J. *see* Al Shalabi, R.M.
Göhring, T.N. *see* Peters, O.
Gomez, R.S. *see* Moreira, P.R.
Goya, C., Yamazaki, R., Tomita, Y., Kimura, Y. & Matsumoto, K. Effects of pulsed Nd:YAG laser irradiation on smear layer at the apical stop and apical leakage after obturation, 266
Griffiths, I.T., Bryant, S.T. & Dummer, P.M.H. Canal shapes produced sequentially during instrumentation with Quantec LX rotary nickel–titanium instruments: a study in simulated canals, 346
Gulabivala, K. *see* Fernando, K.
Gulabivala, K. *see* Jardine, S.J.
Gulabivala, K. *see* Mc Cullagh, J.J.P.
Gulabivala, K. *see* Saunders, M.B.
Gutmann, J.L. *see* Jaunberzins, A.
Gutmann, J.L. *see* Laghios, C.D.
Gutmann, J.L. *see* Laghios, C.D.
Gutmann, J.L. *see* Witherspoon, D.E.
Gutmann, J.L. *see* Zuolo, M.L.

© 2000 Blackwell Science Ltd

Haapasalo, H.K., Sirén, E.K., Waltimo, T.M.T., Ørstavik, D. & Haapasalo, M.P.P. Inactivation of local root canal medicaments by dentine: an *in vitro* study, 126
Haapasalo, M.P.P. *see* Haapasalo, H.K.
Hagen, S.O. *see* Fristad, I.
Hahn, W. *see* Hülsmann, M.
Harper, R.P. *see* Jaunberzins, A.
Hata, G.-I. *see* Imura, N.
Hayes, S.J. *see* Gilhooly, R.M.P.
Holt, R. *see* Saunders, M.B.
Hommez, G.M.G. *see* De Moor, R.J.G.
Hörsted-Bindslev, P. *see* Kirkevang, L.-L.
Hörsted-Bindslev, P. *see* Larsen, M.J.
Hülsmann, M. & Hahn, W. Complications during root canal irrigation – literature review and case reports, 186
Hussey, D.L. *see* Mc Cullagh, J.J.P.

Ibrahim, Y.E. *see* Ahmed, M.F.
Imura, N., Kato, A.S., Hata, G.-I., Uemura, M., Toda, T. & Weine, F. A comparison of the relative efficacies of four hand and rotary instrumentation techniques during endodontic retreatment, 361
Iwaku, M. *see* Cruz, E.V.

Jardine, S.J. & Gulabivala, K. An *in vitro* comparison of canal preparation using two automated rotary nickel–titanium instrumentation techniques, 381
Jaunberzins, A., Gutmann, J.L., Witherspoon, D.E. & Harper, R.P. TGF-β1 alone and in combination with calcium hydroxide is synergistic to TGF-β1 production by osteoblasts *in vitro*, 421
Jennings, M. *see* Al Shalabi, R.M.
Jimena, M.E.M. *see* Cruz, E.V.

Kahan, R.S. *see* Saunders, M.B.
Kamal, A.M.M., Okiji, T. & Suda, H. Response of class II molecule-expressing cells and macrophages to cavity preparation and restoration with 4-META/MMA-TBB resin, 367
Katebzadeh, N., Sigurdsson, A. & Trope, M. Radiographic evaluation of periapical healing after obturation of infected root canal: an *in vivo* study, 60
Kato, A.S. *see* Imura, N.
Kells, B.E., Kennedy, J.G., Biagioni, P.A. & Lamey, P.J. Computerized infrared thermographic imaging and pulpal blood flow: Part 1. A protocol for thermal imaging of human teeth, 442
Kells, B.E., Kennedy, J.G., Biagioni, P.A. & Lamey, P.J. Computerized infrared thermographic imaging and pulpal blood flow: Part 2. Rewarming of healthy human teeth following a controlled cold stimulus, 448
Kennedy, J.G. *see* Kells, B.E.
Kennedy, J.G. *see* Kells, B.E.
Khabbaz, M.G., Anastasiadis, P.L. & Sykaras, S.N. Determination of endotoxins in caries: association with pulpal pain, 132
Kim, S.T., Abbott, P.V. & McGinley, P. The effects of Ledermix paste on discolouration of mature teeth, 227
Kim, S.T., Abbott, P.V. & McGinley, P. The effects of Ledermix paste on discolouration of immature teeth, 233
Kimura, Y. & Matsumoto, K. Mandibular first molar with three distal root canals, 468
Kimura, Y. *see* Goya, C.
Kimura, Y., Wilder-Smith, P. & Matsumoto, K. Lasers in endodontics: a review, 173
Kirkevang, L.-L., Ørstavik, D., Hörsted-Bindslev, P. & Wenzel, A. Periapical status and quality of root fillings and coronal restorations in a Danish population, 509
Kovačević, M. *see* Tamarut, T.
Kvist, T. Practical Lessons in Endodontic Surgery by D. E. Arens, in collaboration with M. Torabinejad, N. Chivian & R. Rubinstein, 293

Laghios, C.D., Benson, B.W., Gutmann, J.L. & Cutler, C.W. Comparative radiopacity of tetracalcium phosphate and other root-end filling materials, 311
Laghios, C.D., Cutler, C.W. & Gutmann, J.L. *In vitro* evidence that lipopolysaccharide of an oral pathogen leaks from root-end filled teeth, 333
Lamey, P.J. *see* Kells, B.E.
Lamey, P.J. *see* Kells, B.E.
Lamey, P.-J. *see* Mc Cullagh, J.J.P.
Larsen, M.J. & Hörsted-Bindslev, P. A laboratory study evaluating the release of hydroxyl ions from various calcium hydroxide products in narrow root canal-like tubes, 238
Laux, M., Abbott, P.V., Pajarola, G. & Nair, P.N.R. Apical inflammatory root resorption: a correlative radiographic and histological assessment, 483
Leonardo, M.R. *see* De Almeida, W.A.
Levin, L.G. *see* Nance, R.
Liepins, P.J. *see* Rhodes, J.S.
Löst, C. *see* Weiger, R.
Lumley, P.J. Cleaning efficacy of two apical preparation regimens following shaping with hand files of greater taper, 262
Lutz, F. *see* Peters, O.
Lynch, J.A. *see* Rhodes, J.S.
Lyroudia, K., Pantelidou, O., Mikrogeorgis, G., Chatzikallinikidis, C., Nikopoulos, N. & Pitas, I. The use of 3D computerized reconstruction for the study of coronal microleakage, 243

Ma, J.K.-C. *see* Bate, A.L.
Machtou, P. *see* Yared, G.M.
Mannocci, F. *see* Ferrari, M.
Marais, J.T. Cleaning efficacy of a new root canal irrigation solution: a preliminary evaluation, 320
Martens, G.E.I. *see* De Moor, R.J.G.
Martins, R.D. *see* Moreira, P.R.
Matsumoto, K. *see* Goya, C.
Matsumoto, K. *see* Kimura, Y.
Matsumoto, K. *see* Kimura, Y.
Mc Cullagh, J.J.P., Setchell, D.J., Gulabivala, K., Hussey, D.L., Biagioni, P., Lamey, P.-J. & Bailey, G. A comparison of thermocouple and infrared thermographic analysis of temperature rise on the root surface during the continuous wave of condensation technique, 326
McDonald, N.J. *see* von Fraunhofer, J.A.
McGinley, P. *see* Kim, S.T.
McGinley, P. *see* Kim, S.T.
Mikrogeorgis, G. *see* Lyroudia, K.
Molven, O. *see* Fristad, I.
Moorer, W.R. *see* Peters, L.B.
Moreira, P.R., Santos, D.F.M., Martins, R.D. & Gomez, R.S. $CD57^+$ cells in radicular cyst, 99

© 2000 Blackwell Science Ltd

Murray, C.A & Saunders, W.P. Root canal treatment and general health: a review of the literature, 1

Nair, P.N.R. *see* Laux, M.
Nance, R., Tyndall, D., Levin, L.G. & Trope, M. Identification of root canals in molars by tuned-aperture computed tomography, 392
Nikopoulos, N. *see* Lyroudia, K.
Nordbö, H. *see* Tang, H.-M.

Okiji, T. *see* Kamal, A.M.M.
Omer, O.E. *see* Al Shalabi, R.M.
Ørstavik, D. *see* Haapasalo, H.K.
Ørstavik, D. *see* Kirkevang, L.-L.
Özok, A.R. *see* Wu, M.-K.

Pais, C.R. *see* Fava, L.R.G.
Pajarola, G. *see* Laux, M.
Pantelidou, O. *see* Lyroudia, K.
Peters, L.B., Wesselink, P.R. & Moorer, W.R. Penetration of bacteria in bovine root dentine *in vitro*, 28
Peters, O., Göhring, T.N. & Lutz, F. Effect of eugenol-containing sealer on marginal adaptation of dentine-bonded resin fillings, 53
Pitas, I. *see* Lyroudia, K.
Pitt Ford, T.R. *see* Bate, A.L.
Pitt Ford, T.R. *see* Rhodes, J.S.
Puzon, E.G. *see* Cruz, E.V.

Raes, F.M. *see* De Bruyne, M.A.A.
Rees, J.S. *see* Wood, P.
Rhodes, J.S., Pitt Ford, T.R., Lynch, J.A., Liepins, P.J. & Curtis, R.V. A comparison of two nickel–titanium instrumentation techniques in teeth using microcomputed tomography, 279
Rosendahl, C. *see* Weiger, R.

Santos, D.F.M. *see* Moreira, P.R.
Saunders, M.B., Gulabivala, K., Holt, R. & Kahan, R.S. Reliability of radiographic observations recorded on a proforma measured using inter- and intra-observer variation: a preliminary study, 272
Saunders, W.P. *see* Murray, C.A.
Sbaizero, O. *see* Di Lenarda, R.
Seccombe, G.V. *see* Whitworth, J.M.
Setchell, D.J. *see* Mc Cullagh, J.J.P.
Shoker, K. *see* Whitworth, J.M.
Sigurdsson, A. *see* Katebzadeh, N.
Silva, L.A.B. *see* De Almeida, W.A.
Sirén, E.K. *see* Haapasalo, H.K.
Solovyeva, A.M. & Dummer, P.M.H. Cleaning effectiveness of root canal irrigation with electrochemically activated anolyte and catholyte solutions: a pilot study, 494
Steele, J.G. *see* Whitworth, J.M.
Suda, H. *see* Kamal, A.M.M.
Sykaras, S.N. *see* Khabbaz, M.G.

Tamarut, T., Kovačević, M. & Uhač, I. Detection of a transitional ion concentration zone during electronic measurement of root canal length: a study *in vitro*, 374
Tang, H.-M., Nordbö, H. & Bakland, L.K. Pulpal response to prolonged dentinal exposure to sodium hypochlorite, 505
Tanomaru Filho, M. *see* De Almeida, W.A.
Thompson, S.A. & Dummer, P.M.H. Shaping ability of Hero 642 rotary nickel–titanium instruments in simulated root canals: Part 1, 248
Thompson, S.A. & Dummer, P.M.H. Shaping ability of Hero 642 rotary nickel–titanium instruments in simulated root canals: Part 2, 255
Thompson, S.A. An overview of nickel–titanium alloys used in dentistry, 297
Toda, T. *see* Imura, N.
Tomita, Y. *see* Goya, C.
Trope, M. *see* Katebzadeh, N.
Trope, M. *see* Nance, R.
Tyndall, D. *see* Nance, R.

Uemura, M. *see* Imura, N.
Uhač, I. *see* Tamarut, T.

Van Nieuwenhuysen, J.-P. *see* Aryanpour, S.

Waltimo, T.M.T. *see* Haapasalo, H.K.
Weiger, R., Rosendahl, C. & Löst, C. Influence of calcium hydroxide intracanal dressings on the prognosis of teeth with endodontically induced periapical lesions, 219
Weine, F. *see* Imura, N.
Weinfeld, I. *see* Fava, L.R.G.
Wenzel, A. *see* Kirkevang, L.-L.
Wesselink, P.R. *see* Peters, L.B.
Wesselink, P.R. *see* Wu, M.-K.
Wesselink, P.R. *see* Wu, M.-K.
Whitworth, J.M. & Boursin, E.M. Dissolution of root canal sealer cements in volatile solvents, 19
Whitworth, J.M. Apparent periapical repair without operative intervention: a case report and discussion, 286
Whitworth, J.M., Seccombe, G.V., Shoker, K. & Steele, J.G. Use of rubber dam and irrigant selection in UK general dental practice, 435
Wilder-Smith, P. *see* Kimura, Y.
Witherspoon, D.E. & Gutmann, J.L. Analysis of the healing response to gutta-percha and Diaket when used as root-end filling materials in periradicular surgery, 37
Witherspoon, D.E. *see* Jaunberzins, A.
Wood, P. & Rees, J.S. An unusual case of furcation external resorption, 530
Wu, M.-K., Fan, B. & Wesselink, P.R. Diminished leakage along root canals filled with gutta-percha without sealer over time: a laboratory study, 121
Wu, M.-K., Özok, A.R. & Wesselink, P.R. Sealer distribution in root canals obturated by three techniques, 340

Yamazaki, R. *see* Goya, C.
Yared, G.M., Bou Dagher, F.E. & Machtou, P. Cyclic fatigue of ProFile rotary instruments after clinical use, 204

Zuolo, M.L., Ferreira, M.O.F. & Gutmann, J.L. Prognosis in periradicular surgery: a clinical prospective study, 91

© 2000 Blackwell Science Ltd

Keyword Index

3D reconstruction. The use of 3D computerized reconstruction for the study of coronal microleakage. 243
4-META/MMA-TBB resin. A comparison of the relative efficacies of four hand and rotary instrumentation techniques during endodontic retreatment. 367

A. israelii. Penetration of bacteria in bovine root dentine *in vitro*. 28
Aberrations. Shaping ability of Hero 642 rotary nickel–titanium instruments in simulated root canals: Part 2. 255
Canal shapes produced sequentially during instrumentation with Quantec LX rotary nickel–titanium instruments: a study in simulated canals. 346
Abnormal anatomy. Mandibular first molar with three distal root canals. 468
Alphaseal. Comparison of cold lateral condensation and a warm multiphase gutta-percha technique for obturating curved root canals. 415
Anachoresis. Lateral breakdown of nonendodontic origin adjacent to maxillary left incisors. 471
Anterior open bite. An unusual case of furcation external resorption. 530
Apex locators. Detection of a transitional ion concentration zone during electronic measurement of root canal length: a study *in vitro*. 374
Apical breakdown. Lateral breakdown of nonendodontic origin adjacent to maxillary left incisors. 471
Apical inflammatory root resorption. Apical inflammatory root resorption: a correlative radiographic and histological assessment. 483
Apical leakage. Evaluation of apical sealing of three endodontic sealers. 25
Apical pathosis. Apparent periapical repair without operative intervention: a case report and discussion. 286
Apical periodontitis. Periapical status and quality of root fillings and coronal restorations in a Danish population. 509
Apical stop. Effects of pulsed Nd:YAG laser irradiation on smear layer at the apical stop and apical leakage after obturation. 266
Apicectomy. An overview of nickel–titanium alloys used in dentistry. 297
Arthritis. Root canal treatment and general health: a review of the literature. 1

Bacteraemia. Root canal treatment and general health: a review of the literature. 1
Bacteria. Detection of bacterial virulence genes associated with infective endocarditis in infected root canals. 194
Behavioural science. Endodontic retreatment decisions: no consensus. 208
Bonding agent. A 'one-bottle' adhesive system for bonding a fibre post into a root canal: an SEM evaluation of the post–resin interface. 397
Bone resorption. Lateral breakdown of nonendodontic origin adjacent to maxillary left incisors. 471

Calcium hydroxide. Necrosis of the gingiva caused by calcium hydroxide: a case report. 67
Inactivation of local root canal medicaments by dentine: an *in vitro* study. 126
Influence of calcium hydroxide intracanal dressings on the prognosis of teeth with endodontically induced periapical lesions. 219
A laboratory study evaluating the release of hydroxyl ions from various calcium hydroxide products in narrow root canal-like tubes. 238
TGF-β1 alone and in combination with calcium hydroxide is synergistic to TGF-β1 production by osteoblasts *in vitro*. 421
Canal cleaning. Cleaning efficacy of two apical preparation regimens following shaping with hand files of greater taper. 262
Canal preparation. The effect of root canal preparation on microleakage within endodontically treated teeth: an *in vitro* study. 355
An *in vitro* comparison of canal preparation using two automated rotary nickel–titanium instrumentation techniques. 381
The standardized-taper root canal preparation – Part 1. Concepts for variably tapered shaping instruments. 516
Canal shape. Canal shapes produced sequentially during instrumentation with Quantec LX rotary nickel–titanium instruments: a study in simulated canals. 346
Canal shaping. Shaping ability of Hero 642 rotary nickel–titanium instruments in simulated root canals: Part 1. 248
Shaping ability of Hero 642 rotary nickel–titanium instruments in simulated root canals: Part 2. 255
Caries. Determination of endotoxins in caries: association with pulpal pain. 132
Cavity preparation. Response of class II molecule-expressing cells and macrophages to cavity preparation and restoration with 4-META/MMA-TBB resin. 367
Cell culture. TGF-β1 alone and in combination with calcium hydroxide is synergistic to TGF-β1 production by osteoblasts *in vitro*. 421
Chloroform. Dissolution of root canal sealer cements in volatile solvents. 19
Citric acid. Effectiveness of 1 mol L^{-1} citric acid and 15% EDTA irrigation on smear layer removal. 46
Class II molecule-expressing cells. Response of class II molecule-expressing cells and macrophages to cavity preparation and restoration with 4-META/MMA-TBB resin. 367
Cleaning and shaping. The standardized-taper root canal preparation – Part 1. Concepts for variably tapered shaping instruments. 516
Cleaning. Effectiveness of 1 mol L^{-1} citric acid and 15% EDTA irrigation on smear layer removal. 46
Cleaning effectiveness of root canal irrigation with electrochemically activated anolyte and catholyte solutions: a pilot study. 494
Clinical use. Cyclic fatigue of ProFile rotary instruments after clinical use. 204

© 2000 Blackwell Science Ltd

Continuous wave technique. A comparison of thermocouple and infrared thermographic analysis of temperature rise on the root surface during the continuous wave of condensation technique. 326
Cooling. Computerized infrared thermographic imaging and pulpal blood flow: Part 2. Rewarming of healthy human teeth following a controlled cold stimulus. 448
Coronal microleakage. The use of 3D computerized reconstruction for the study of coronal microleakage. 243
Coronal restoration. Periapical status and quality of root fillings and coronal restorations in a Danish population. 509
Cyclic fatigue. Cyclic fatigue of ProFile rotary instruments after clinical use. 204

Debridement. Cleaning effectiveness of root canal irrigation with electrochemically activated anolyte and catholyte solutions: a pilot study. 494
Decision making. Endodontic retreatment decisions: no consensus. 208
Dental practice. Root canal treatment in general practice in Sudan. 316
Dental pulp. Pulpal response to prolonged dentinal exposure to sodium hypochlorite. 505
Dentinal tubules. Penetration of bacteria in bovine root dentine *in vitro*. 28
Dentine bonding. Effect of eugenol-containing sealer on marginal adaptation of dentine-bonded resin fillings. 53
Dentine. Inactivation of local root canal medicaments by dentine: an *in vitro* study. 126
Lasers in endodontics: a review. 173
Diaket. Analysis of the healing response to gutta-percha and Diaket when used as root-end filling materials in periradicular surgery. 37
Discolouration. The effects of Ledermix paste on discolouration of mature teeth. 227
The effects of Ledermix paste on discolouration of immature teeth. 233
Disinfectant. Inactivation of local root canal medicaments by dentine: an *in vitro* study. 126
Disinfection of root canal. A laboratory study evaluating the release of hydroxyl ions from various calcium hydroxide products in narrow root canal-like tubes. 238

E. faecalis. Penetration of bacteria in bovine root dentine *in vitro*. 28
EDTA. Effectiveness of 1 mol L^{-1} citric acid and 15% EDTA irrigation on smear layer removal. 46
Electrochemically activated solutions. Cleaning effectiveness of root canal irrigation with electrochemically activated anolyte and catholyte solutions: a pilot study. 494
Electrolytes. Detection of a transitional ion concentration zone during electronic measurement of root canal length: a study *in vitro*. 374
Emphysema. Complications during root canal irrigation – literature review and case reports. 186
Endodontic retreatment. Endodontic retreatment decisions: no consensus. 208
Endodontic sealers. Evaluation of apical sealing of three endodontic sealers. 25
The use of 3D computerized reconstruction for the study of coronal microleakage. 243
Endodontic surgery. Analysis of the healing response to gutta-percha and Diaket when used as root-end filling materials in periradicular surgery. 37
Endodontics. Prognosis in periradicular surgery: a clinical prospective study. 91
Shaping ability of Hero 642 rotary nickel–titanium instruments in simulated root canals: Part 1. 248
Shaping ability of Hero 642 rotary nickel–titanium instruments in simulated root canals: Part 2. 255
Cleaning efficacy of two apical preparation regimens following shaping with hand files of greater taper. 262
An overview of nickel–titanium alloys used in dentistry. 297
Root canal treatment in general practice in Sudan. 316
In vitro evidence that lipopolysaccharide of an oral pathogen leaks from root-end filled teeth. 333
Endodontic teaching in Philippine dental schools. 427
Endotoxin. Determination of endotoxins in caries: association with pulpal pain. 132
Enterococcus faecalis. Inactivation of local root canal medicaments by dentine: an *in vitro* study. 126
Epidemiology. Periapical health related to the quality of root canal treatment in a Belgian population. 113
Eugenol. Effect of eugenol-containing sealer on marginal adaptation of dentine-bonded resin fillings. 53
External resorption. An unusual case of furcation external resorption. 530

Fibre posts. A 'one-bottle' adhesive system for bonding a fibre post into a root canal: an SEM evaluation of the post–resin interface. 397
Fistula. Lateral breakdown of nonendodontic origin adjacent to maxillary left incisors. 471
Focal infection. Root canal treatment and general health: a review of the literature. 1
Foramen diameter. Detection of a transitional ion concentration zone during electronic measurement of root canal length: a study *in vitro*. 374

General practice. Use of rubber dam and irrigant selection in UK general dental practice. 435
Genes. Detection of bacterial virulence genes associated with infective endocarditis in infected root canals. 194
Glass ionomer cement. Necrosis of the gingiva caused by calcium hydroxide: a case report. 67
Gutta-percha points. A laboratory study evaluating the release of hydroxyl ions from various calcium hydroxide products in narrow root canal-like tubes. 238
Gutta-percha removal. Efficacy of Quantec rotary instruments for gutta-percha removal. 463
Gutta-percha. Diminished leakage along root canals filled with gutta-percha without sealer over time: a laboratory study. 121
Comparison of cold lateral condensation and a warm multiphase gutta-percha technique for obturating curved root canals. 415

Haemorrhage. Complications during root canal irrigation – literature review and case reports. 186
Halothane. Dissolution of root canal sealer cements in volatile solvents. 19

© 2000 Blackwell Science Ltd

Healing. Radiographic evaluation of periapical healing after obturation of infected root canal : an *in vivo* study. 60
Apparent periapical repair without operative intervention: a case report and discussion. 286
Health. Root canal treatment and general health: a review of the literature. 1
Histology. Apical inflammatory root resorption: a correlative radiographic and histological assessment. 483
Host/parasite relationship. Apparent periapical repair without operative intervention: a case report and discussion. 286
Hybrid layer. A 'one-bottle' adhesive system for bonding a fibre post into a root canal: an SEM evaluation of the post–resin interface. 397
Hydrogen peroxide. Complications during root canal irrigation – literature review and case reports. 186

IL-6. TGF-β1 alone and in combination with calcium hydroxide is synergistic to TGF-β1 production by osteoblasts *in vitro*. 421
Imaging. Apparent periapical repair without operative intervention: a case report and discussion. 286
Immunology. $CD57^+$ cells in radicular cyst. 99
Inactivation. Inactivation of local root canal medicaments by dentine: an *in vitro* study. 126
Inflammation. Lateral breakdown of nonendodontic origin adjacent to maxillary left incisors. 471
Inflammatory resorption. An unusual case of furcation external resorption. 530
Infrared thermography. A comparison of thermocouple and infrared thermographic analysis of temperature rise on the root surface during the continuous wave of condensation technique. 326
Irrigants. Use of rubber dam and irrigant selection in UK general dental practice. 435
Irrigation complications. Complications during root canal irrigation – literature review and case reports. 186
Irrigation. Cleaning efficacy of a new root canal irrigation solution: a preliminary evaluation. 320
Isolation. Use of rubber dam and irrigant selection in UK general dental practice. 435

Laser diagnosis. Lasers in endodontics: a review. 173
Laser therapy use. Lasers in endodontics: a review. 173
Lateral condensation. Comparison of cold lateral condensation and a warm multiphase gutta-percha technique for obturating curved root canals. 415
Leakage. Diminished leakage along root canals filled with gutta-percha without sealer over time: a laboratory study. 121
Effects of pulsed Nd:YAG laser irradiation on smear layer at the apical stop and apical leakage after obturation. 266
Ledermix paste. The effects of Ledermix paste on discolouration of mature teeth. 227
The effects of Ledermix paste on discolouration of immature teeth. 233
Length estimation. Detection of a transitional ion concentration zone during electronic measurement of root canal length: a study *in vitro*. 374
Leucocytes. The preparation of periapical lesions for flow cytometry. 103
Lipopolysaccharide. *In vitro* evidence that lipopolysaccharide of an oral pathogen leaks from root-end filled teeth. 333

Macrophage. Response of class II molecule-expressing cells and macrophages to cavity preparation and restoration with 4-META/MMA-TBB resin. 367
Mandibular molar. Mandibular first molar with three distal root canals. 468
Marginal adaptation. Effect of eugenol-containing sealer on marginal adaptation of dentine-bonded resin fillings. 53
Maxillary molars. Root canal anatomy of maxillary first and second permanent molars. 405
Medicament. Inactivation of local root canal medicaments by dentine: an *in vitro* study. 126
Microbiology. Penetration of bacteria in bovine root dentine *in vitro*. 28
Microcomputer tomography. A comparison of two nickel–titanium instrumentation techniques in teeth using microcomputed tomography. 279
Microleakage. *In vitro* evidence that lipopolysaccharide of an oral pathogen leaks from root-end filled teeth. 333
The effect of root canal preparation on microleakage within endodontically treated teeth: an *in vitro* study. 355
Multiphase obturation. Comparison of cold lateral condensation and a warm multiphase gutta-percha technique for obturating curved root canals. 415

Necrosis. Necrosis of the gingiva caused by calcium hydroxide: a case report. 67
Nickel–titanium files. The effect of root canal preparation on microleakage within endodontically treated teeth: an *in vitro* study. 355
A comparison of the relative efficacies of four hand and rotary instrumentation techniques during endodontic retreatment. 361
Nickel–titanium. Shaping ability of Hero 642 rotary nickel–titanium instruments in simulated root canals: Part 1. 248
Shaping ability of Hero 642 rotary nickel–titanium instruments in simulated root canals: Part 2. 255
Cleaning efficacy of two apical preparation regimens following shaping with hand files of greater taper. 262
A comparison of two nickel–titanium instrumentation techniques in teeth using microcomputed tomography. 279
An overview of nickel–titanium alloys used in dentistry. 297
Canal shapes produced sequentially during instrumentation with Quantec LX rotary nickel–titanium instruments: a study in simulated canals. 346
An *in vitro* comparison of canal preparation using two automated rotary nickel–titanium instrumentation techniques. 381
Efficacy of Quantec rotary instruments for gutta-percha removal. 463
The standardized-taper root canal preparation – Part 1. Concepts for variably tapered shaping instruments. 516

Observer variation. Reliability of radiographic observations recorded on a proforma measured using inter- and intra-observer variation: a preliminary study. 272
One-visit endodontic treatment. Influence of calcium hydroxide intracanal dressings on the prognosis of teeth with endodontically induced periapical lesions. 219
Oral pathogen. *In vitro* evidence that lipopolysaccharide of an oral pathogen leaks from root-end filled teeth. 333

© 2000 Blackwell Science Ltd

Osteoblasts, TGF-β1 alone and in combination with calcium hydroxide is synergistic to TGF-β1 production by osteoblasts *in vitro*, 421

Pathogenesis, $CD57^+$ cells in radicular cyst, 99
Pathology, $CD57^+$ cells in radicular cyst, 99
PCR, Detection of bacterial virulence genes associated with infective endocarditis in infected root canals, 194
Perforation, Necrosis of the gingiva caused by calcium hydroxide: a case report, 67
Periapical diseases, Periapical health related to the quality of root canal treatment in a Belgian population, 113
Periapical lesion, Influence of calcium hydroxide intracanal dressings on the prognosis of teeth with endodontically induced periapical lesions, 219
Periapical pathology, The preparation of periapical lesions for flow cytometry, 103
Periapical status, Periapical status and quality of root fillings and coronal restorations in a Danish population, 509
Periapical, Radiographic evaluation of periapical healing after obturation of infected root canal : an *in vivo* study, 60
Periradicular surgery, Prognosis in periradicular surgery: a clinical prospective study, 91
ProFiles, Cyclic fatigue of ProFile rotary instruments after clinical use, 204
Proforma, Reliability of radiographic observations recorded on a proforma measured using inter- and intra-observer variation: a preliminary study, 272
Prognosis, Prognosis in periradicular surgery: a clinical prospective study, 91
Influence of calcium hydroxide intracanal dressings on the prognosis of teeth with endodontically induced periapical lesions, 219
Prospective study, Prognosis in periradicular surgery: a clinical prospective study, 91
Pulpal blood flow, Computerized infrared thermographic imaging and pulpal blood flow: Part 1. A protocol for thermal imaging of human teeth, 442
Computerized infrared thermographic imaging and pulpal blood flow: Part 2. Rewarming of healthy human teeth following a controlled cold stimulus, 448
Pulpal inflammation, Pulpal response to prolonged dentinal exposure to sodium hypochlorite, 505
Pulpal pain, Determination of endotoxins in caries: association with pulpal pain, 132
Pulsed Nd:YAG laser, Effects of pulsed Nd:YAG laser irradiation on smear layer at the apical stop and apical leakage after obturation, 266

Quantec system, Efficacy of Quantec rotary instruments for gutta-percha removal, 463

Radicular cyst, $CD57^+$ cells in radicular cyst, 99
Radiographic diagnosis, Apical inflammatory root resorption: a correlative radiographic and histological assessment, 483
Radiographic evaluation, Periapical health related to the quality of root canal treatment in a Belgian population, 113
Reliability of radiographic observations recorded on a proforma measured using inter- and intra-observer variation: a preliminary study, 272
Radiopacity, An overview of nickel–titanium alloys used in dentistry, 297
Rat molar, Response of class II molecule-expressing cells and macrophages to cavity preparation and restoration with 4-META/MMA-TBB resin, 367
Resin tags, A 'one-bottle' adhesive system for bonding a fibre post into a root canal: an SEM evaluation of the post–resin interface, 397
Retreatment, Dissolution of root canal sealer cements in volatile solvents, 19
A comparison of the relative efficacies of four hand and rotary instrumentation techniques during endodontic retreatment, 361
Rewarming, Computerized infrared thermographic imaging and pulpal blood flow: Part 2. Rewarming of healthy human teeth following a controlled cold stimulus, 448
Root anatomy, Four second molars with single roots and single canals in the same patient, 138
Root canal anatomy, Four second molars with single roots and single canals in the same patient, 138
Root canal anatomy of maxillary first and second permanent molars, 405
Root canal filling, Evaluation of apical sealing of three endodontic sealers, 25
Root canal irrigation, Complications during root canal irrigation – literature review and case reports, 186
Root canal preparation, A comparison of two nickel–titanium instrumentation techniques in teeth using microcomputed tomography, 279
Root canal retreatment, A comparison of the relative efficacies of four hand and rotary instrumentation techniques during endodontic retreatment, 361
Root canal system, Mandibular first molar with three distal root canals, 468
Root canal treatment, Root canal treatment and general health: a review of the literature, 1
Effectiveness of 1 mol L^{-1} citric acid and 15% EDTA irrigation on smear layer removal, 46
Periapical health related to the quality of root canal treatment in a Belgian population, 113
Lasers in endodontics: a review, 173
Influence of calcium hydroxide intracanal dressings on the prognosis of teeth with endodontically induced periapical lesions, 219
A laboratory study evaluating the release of hydroxyl ions from various calcium hydroxide products in narrow root canal-like tubes, 238
Root canal treatment in general practice in Sudan, 316
Comparison of cold lateral condensation and a warm multiphase gutta-percha technique for obturating curved root canals, 415
Endodontic teaching in Philippine dental schools, 427
Efficacy of Quantec rotary instruments for gutta-percha removal, 463
Root canal wall, *In vitro* evidence that lipopolysaccharide of an oral pathogen leaks from root-end filled teeth, 333
Root canal, Diminished leakage along root canals filled with gutta-percha without sealer over time: a laboratory study, 121
Detection of bacterial virulence genes associated with infective endocarditis in infected root canals, 194

© 2000 Blackwell Science Ltd

Effects of pulsed Nd:YAG laser irradiation on smear layer at the apical stop and apical leakage after obturation, 266
Cleaning efficacy of a new root canal irrigation solution: a preliminary evaluation, 320 Cleaning effectiveness of root canal irrigation with electrochemically activated anolyte and catholyte solutions: a pilot study, 494
Root canals, Shaping ability of Hero 642 rotary nickel–titanium instruments in simulated root canals: Part 1, 248
Shaping ability of Hero 642 rotary nickel–titanium instruments in simulated root canals: Part 2, 255
Cleaning efficacy of two apical preparation regimens following shaping with hand files of greater taper, 262
An overview of nickel–titanium alloys used in dentistry, 297
Identification of root canals in molars by tuned-aperture computed tomography, 392
Root filling, Periapical status and quality of root fillings and coronal restorations in a Danish population, 509
Root-end filling, Analysis of the healing response to gutta-percha and Diaket when used as root-end filling materials in periradicular surgery, 37
An overview of nickel–titanium alloys used in dentistry, 297
In vitro evidence that lipopolysaccharide of an oral pathogen leaks from root-end filled teeth, 333
Rotary files, Shaping ability of Hero 642 rotary nickel–titanium instruments in simulated root canals: Part 1, 248
Rotary instrumentation, A comparison of the relative efficacies of four hand and rotary instrumentation techniques during endodontic retreatment, 361
Rotary instruments, Shaping ability of Hero 642 rotary nickel–titanium instruments in simulated root canals: Part 2, 255
Canal shapes produced sequentially during instrumentation with Quantec LX rotary nickel–titanium instruments: a study in simulated canals, 346
Efficacy of Quantec rotary instruments for gutta-percha removal, 463
Rotary, An *in vitro* comparison of canal preparation using two automated rotary nickel–titanium instrumentation techniques, 381

Sealer coverage, *In vitro* evidence that lipopolysaccharide of an oral pathogen leaks from root-end filled teeth, 333
Sealers, Dissolution of root canal sealer cements in volatile solvents, 19
SEM assessment, Effect of eugenol-containing sealer on marginal adaptation of dentine-bonded resin fillings, 53
Simulated canals, Canal shapes produced sequentially during instrumentation with Quantec LX rotary nickel–titanium instruments: a study in simulated canals, 346
Smear layer removal, The effect of root canal preparation on microleakage within endodontically treated teeth: an *in vitro* study, 355
Smear layer, Effectiveness of 1 mol L^{-1} citric acid and 15% EDTA irrigation on smear layer removal, 46
Effects of pulsed Nd:YAG laser irradiation on smear layer at the apical stop and apical leakage after obturation, 266
Sodium hypochlorite, Effectiveness of 1 mol L^{-1} citric acid and 15% EDTA irrigation on smear layer removal, 46
Complications during root canal irrigation – literature review and case reports, 186
Pulpal response to prolonged dentinal exposure to sodium hypochlorite, 505
Solubility, Dissolution of root canal sealer cements in volatile solvents, 19
Solutions, Cleaning efficacy of a new root canal irrigation solution: a preliminary evaluation, 320
Staphylococci, Detection of bacterial virulence genes associated with infective endocarditis in infected root canals, 194
Streptococci, Detection of bacterial virulence genes associated with infective endocarditis in infected root canals, 194
Sunlight, The effects of Ledermix paste on discolouration of mature teeth, 227
The effects of Ledermix paste on discolouration of immature teeth, 233
Surgical repair, Necrosis of the gingiva caused by calcium hydroxide: a case report, 67

Teaching, Endodontic teaching in Philippine dental schools, 427
Teeth, Radiographic evaluation of periapical healing after obturation of infected root canal : an *in vivo* study, 60
Tetracalcium phosphate, An overview of nickel–titanium alloys used in dentistry, 297
TGF-β1, TGF-β1 alone and in combination with calcium hydroxide is synergistic to TGF-β1 production by osteoblasts *in vitro*, 421
Thermographic imaging, Computerized infrared thermographic imaging and pulpal blood flow: Part 1, A protocol for thermal imaging of human teeth, 442
Computerized infrared thermographic imaging and pulpal blood flow: Part 2, Rewarming of healthy human teeth following a controlled cold stimulus, 448
Three-dimensional imaging, A comparison of two nickel–titanium instrumentation techniques in teeth using microcomputed tomography, 279
Tissue injury, Lateral breakdown of nonendodontic origin adjacent to maxillary left incisors, 471
Tooth, Effects of pulsed Nd:YAG laser irradiation on smear layer at the apical stop and apical leakage after obturation, 266
Transdentinal antigenic challenge, Response of class II molecule-expressing cells and macrophages to cavity preparation and restoration with 4-META/MMA-TBB resin, 367
Tuned-aperture computed tomography, Identification of root canals in molars by tuned-aperture computed tomography, 392

UK, Use of rubber dam and irrigant selection in UK general dental practice, 435
Ultra-sonic, Cleaning efficacy of a new root canal irrigation solution: a preliminary evaluation, 320
Undergraduate, Endodontic teaching in Philippine dental schools, 427
Upper lateral incisors, Computerized infrared thermographic imaging and pulpal blood flow: Part 1, A protocol for thermal imaging of human teeth, 442

Variable taper files, The standardized-taper root canal preparation – Part 1, Concepts for variably tapered shaping instruments, 516

© 2000 Blackwell Science Ltd